

World Headquarters
Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

MSDS No: M00002

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Silica 3 Reagent
Catalog Number: 27169

Hach Company
P.O.Box 389
Loveland, CO USA 80539
(970) 669-3050

Emergency Telephone Numbers:
(Medical and Transportation)
(303) 623-5716 24 Hour Service
(515)232-2533 8am - 4pm CST

MSDS Number: M00002
Chemical Name: Sulfurous acid, disodium salt
CAS Number: 7757-83-7
Additional CAS No. (for hydrated forms): Not applicable
Chemical Formula: Na₂SO₃
Chemical Family: Inorganic Salt
Intended Use: Laboratory reagent

2. HAZARDS IDENTIFICATION

GHS Classification:
Hazard categories:
GHS Label Elements:
Not applicable

Hazard statements: Not applicable
Contact with acids liberates toxic gas.
Precautionary statements: Not applicable

HMIS:
Health: 1
Flammability: 0
Reactivity: 0
Protective Equipment: X - See protective equipment, Section 8.

NFPA:
Health: 1
Flammability: 0
Reactivity: 0
Symbol: Not applicable
WHMIS Hazard Classification: Class D, Division 2, Subdivision B - Toxic material (other toxic effects)
WHMIS Symbols: Other Toxic Effects

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Components according to GHS:
Sodium Sulfite, ACS, Anhyd

CAS Number: 7757-83-7
Chemical Formula: Na₂SO₃
GHS Classification: Acute Tox. 5 -Orl, H303; Acute Tox. 5 -Derm, H313; Acute Tox. 5 -Inh, H333; Aquatic Acute 3, H402;
Percent Range (Trade Secret): 100.0

The following list contains the Material Safety Data Sheets you requested. Please scroll down to view the requested MSDS(s).

<u>Product</u>	<u>MSDS</u>	<u>Distributor</u>	<u>Format</u>	<u>Language</u>	<u>Quantity</u>
27169	N/A	Hach Company	ROWGHS	English	1

Total Enclosures: 1

Percent Range Units: weight / weight

PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust

TLV: 10 mg/m³ as inhalable dust

WHMIS Symbols: Other Toxic Effects

4. FIRST AID MEASURES

General Information: In the event of exposure, show this Material Safety Data Sheet and label (where possible) to a doctor.

Advice to doctor: Treat symptomatically.

Eye Contact: Immediately flush eyes with water for 15 minutes. Call physician.

Skin Contact (First Aid): Wash skin with soap and plenty of water. Call physician if irritation develops.

Inhalation: Remove to fresh air. Give artificial respiration if necessary. Call physician.

Ingestion (First Aid): Do not induce vomiting. Give large quantities of water. Call physician immediately. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES

Flammable Properties: Material is not classified as flammable according to GHS criteria. Does not burn, but may melt in a fire, releasing toxic fumes.

Fire Fighting Instruction: As in any fire, wear self-contained breathing apparatus pressure-demand and full protective gear.

Extinguishing Media: Use media appropriate to surrounding fire conditions

Extinguishing Media NOT To Be Used: Not applicable

Fire / Explosion Hazards: None reported

Hazardous Combustion Products: This material will not burn.

6. ACCIDENTAL RELEASE MEASURES

Spill Response Notice:

Only persons properly qualified to respond to an emergency involving hazardous substances may respond to a spill according to federal regulations (OSHA 29 CFR 1910.120(a)(v)) and per your company's emergency response plan and guidelines/procedures. See Section 13, Special Instructions for disposal assistance. Outside of the US, only persons properly qualified according to state or local regulations should respond to a spill involving chemicals.

Containment Technique: Stop spilled material from being released to the environment. Releases of this material may contaminate the environment.

Clean-up Technique: If permitted by regulation, Sweep up material. Dilute with a large excess of water. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. Flush reacted material to the drain with a large excess of water. Decontaminate the area of the spill with a soap solution. Otherwise, Pick up spill for disposal and place in a closed container. Dispose of in accordance with local, state and federal regulations or laws.

Evacuation Procedure: Evacuate local area (15 foot radius or as directed by your facility's emergency response plan) when: a pound or more of loose powder is spilled. If conditions warrant, increase the size of the evacuation.

DOT Emergency Response Guide Number: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid contact with eyes skin. Do not breathe dust. Wash thoroughly after handling. Maintain general industrial hygiene practices when using this product.

Storage: Keep away from: oxidizers acids. Store at 10 - 30°C.

Flammability Class: Not applicable

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Have an eyewash station nearby. Maintain general industrial hygiene practices when using this product.

Personal Protective Equipment:

Eye Protection: safety glasses with top and side shields

Skin Protection: nitrile gloves. In the EU, the selected gloves must satisfy the specifications of EU Directive 89/686/EEC and standard EN 374 derived from it. lab coat

Inhalation Protection: adequate ventilation
Precautionary Measures: Keep away from: acids/acid fumes oxidizers
TLV: 10 mg/m³ as inhalable dust
PEL: 15 mg/m³ as inhalable dust; 5 mg/m³ as respirable dust
For Occupational Exposure Limits (OEL) for ingredients, see section 3 - Composition/Information on Ingredients.:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White crystals
Physical State: Solid
Molecular Weight: 126.04
Odor: None
Odor Threshold: Odorless
pH: 7
Metal Corrosivity:
Corrosivity Classification: Not classified as corrosive to metals according to GHS criteria.
Steel: Not determined
Aluminum: Not determined
Specific Gravity/ Relative Density (water = 1; air =1): 2.6
Viscosity: Not applicable
Solubility:
Water: 4.76 g/100 mL @ 0 °C (32 °F); 42.7 g/100 mL @ 100 °C (212 °F)
Acid: Soluble
Other: Soluble in glycerol. Insoluble in ethanol.
Partition Coefficient (n-octanol / water): Not applicable
Coefficient of Water / Oil: Not available
Melting Point: 884 °C (1623 °F)
Decomposition Temperature: Not applicable
Boiling Point: 1429 °C (2604 °F)
Vapor Pressure: Not applicable
Vapor Density (air = 1): Not applicable
Evaporation Rate (water = 1): Not applicable
Volatile Organic Compounds Content: Not applicable
Flammable Properties: Material is not classified as flammable according to GHS criteria. Does not burn, but may melt in a fire, releasing toxic fumes.
Flash Point: Not applicable
Method: Not applicable
Flammability Limits:
Lower Explosion Limits: Not applicable
Upper Explosion Limits: Not applicable
Autoignition Temperature: Not applicable
Explosive Properties:
Not classified according to GHS criteria.
Oxidizing Properties:
Not classified according to GHS criteria.
Reactivity Properties:
Not classified as self-reactive, pyrophoric, self-heating or emitting flammable gases in contact with water according to GHS criteria.
Gas under Pressure:
Not classified according to GHS criteria.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable when stored under proper conditions.
Mechanical Impact: None reported
Static Discharge: None reported.
Reactivity / Incompatibility: Incompatible with: acids oxidizers
Hazardous Decomposition: Heating to decomposition releases toxic and/or corrosive fumes of: sulfur oxides sodium monoxide
Conditions to Avoid: Excessive heat Extreme temperatures

11. TOXICOLOGICAL INFORMATION

Toxicokinetics, Metabolism and Distribution: No information available

Toxicologically Synergistic Products: None reported

Acute Toxicity: Generally Recognized as Safe (GRAS) designation by US Food and Drug Administration Toxicological Testing Route Data Given Below Based on classification principles, the classification criteria are not met.

Oral Rat LD50 = 3560 mg/kg

Dermal Rat LD50 = > 2000 mg/kg

Inhalation Rat LC50 = 5.5 mg/L/4 hr

Specific Target Organ Toxicity - Single Exposure (STOT-SE): Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity - Repeat Exposure (STOT-RE): Based on classification principles, the classification criteria are not met.

Skin Corrosion/Irritation: Based on classification principles, the classification criteria are not met.

Skin rabbit - non-irritating.

Eye Damage: Based on classification principles, the classification criteria are not met.

Eyes - rabbit - Mild eye irritation

Sensitization: Based on classification principles, the classification criteria are not met.

Inhalation of dust may cause temporary asthma.

CMR Effects/Properties (carcinogenic, mutagenic or toxic to reproduction): Data insufficient for classification

Summary of findings reported in the literature follow.

Cytogenetic analysis: Mouse Sperm morphology - Cells - 25 mg/L; Mutation - Human - Lymphocytes - 0.100 mmol/L

IARC Group 3: Non-classifiable

Sulfites

NTP Listed: No

O.S.H.A. Listed: No

Symptoms/Effects:

Ingestion: May be harmful if swallowed May cause: abdominal pain diarrhea colic circulatory disturbances central nervous system depression allergic respiratory reaction

Inhalation: Large doses may cause: Effects similar to those of ingestion.

Skin Absorption: None Reported

Chronic Effects: Chronic overexposure may cause difficult breathing allergic respiratory reactions irritation

Medical Conditions Aggravated: Sulfites are strong sensitizers. Inhalation and ingestion may cause allergic respiratory reactions in asthmatics. Persons with respiratory conditions should take special care when working with products that contain sulfites.

12. ECOLOGICAL INFORMATION

Product Ecological Information: 96 hr *Leuciscus idus* LC50 = 170-370 mg/L; 48 hr *Daphnia magna* EC50 = 18 mg/L; *Chlamydomonas reinhardtii* EC50 = 63-126 mg/L;

Do not place in landfill. Recycle appropriately. Do not release into the environment.

CEPA Categorization: Persistent Not Bioaccumulative Not inherently toxic to aquatic organisms

Biological Oxygen Demand (BOD): 0.12 lb/lb; 96 hr Mosquito fish (fresh water) TLm = 2600 ppm

Ingredient Ecological Information: --

Not applicable

13. DISPOSAL CONSIDERATIONS

EPA Waste ID Number: Not applicable

Special Instructions (Disposal): Work in an approved fume hood. Working in a large container, cautiously add small portions of the material to cold water with agitation. Adjust to a pH between 6 and 9 with an acid, such as sulfuric or citric. If permitted by regulation, Open cold water tap completely, slowly pour the reacted material to the drain. Allow cold water to run for 5 minutes to completely flush the system. Otherwise, Check with national, local municipal and state authorities and waste contractors for pertinent local information on the disposal of this article.

Empty Containers: Rinse three times with an appropriate solvent. Collect rinsate and dispose of according to local, state or federal regulations. Dispose of empty container as normal trash. In the US, rinsate from empty containers is classified as hazardous waste and should be disposed of at an E.P. A. approved facility. Rinsate from empty containers may contain sufficient product to require disposal as hazardous waste.

NOTICE (Disposal): These disposal guidelines are based on federal regulations and may be superseded by more stringent state or local requirements. Please consult your local environmental regulators for more information. In Europe: Chemical

and analysis solutions must be disposed of in compliance with the respective national regulations. Product packaging must be disposed of in compliance with the country-specific regulations or must be passed to a packaging return system.

14. TRANSPORT INFORMATION

D.O.T.:

D.O.T. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

T.D.G.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

UN Number/PIN: NA

Packing Group: NA

I.C.A.O.:

I.C.A.O. Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

I.M.O.:

Proper Shipping Name: Not Currently Regulated

--

Hazard Class: NA

Subsidiary Risk: NA

ID Number: NA

Packing Group: NA

Additional Information: There is a possibility that this product could be contained in a reagent set or kit composed of various compatible dangerous goods. If the item is NOT in a set or kit, the classification given above applies. If the item IS part of a set or kit, the classification would change to the following: UN3316 Chemical Kit, Class 9, PG II or III. If the item is not regulated, the Chemical Kit classification does not apply.

15. REGULATORY INFORMATION

U.S. Federal Regulations:

O.S.H.A.: This product meets the criteria for a hazardous substance as defined in the Hazard Communication Standard. (29 CFR 1910.1200)

E.P.A.:

S.A.R.A. Title III Section 311/312 Categorization (40 CFR 370): Immediate (Acute) Health Hazard

S.A.R.A. Title III Section 313 (40 CFR 372): This product does NOT contain any chemical subject to the reporting requirements of Section 313 of Title III of SARA.

--

302 (EHS) TPQ (40 CFR 355): Not applicable

304 CERCLA RQ (40 CFR 302.4): Not applicable

304 EHS RQ (40 CFR 355): Not applicable

Clean Water Act (40 CFR 116.4): Not applicable

RCRA: Contains no RCRA regulated substances.

State Regulations:

California Prop. 65: No Prop. 65 listed chemicals are present in this product.

Identification of Prop. 65 Ingredient(s): None

California Perchlorate Rule CCR Title 22 Chap 33: Not applicable

Trade Secret Registry: Not applicable

National Inventories:

U.S. Inventory Status: TSCA Listed: Yes

CAS Number: 7757-83-7

Canadian Inventory Status: DSL Listed: Yes
EEC Inventory Status: EINECS Listed: Yes
Australian Inventory (AICS) Status: Listed
New Zealand Inventory (NZIoC) Status: Listed
Korean Inventory (KECI) Status: Listed
Japan (ENCS) Inventory Status: Listed
China (PRC) Inventory (MEP) Status: Listed

16. OTHER INFORMATION

References: 29 CFR 1900 - 1910 (Code of Federal Regulations - Labor). Air Contaminants, Federal Register, Vol. 54, No. 12. Thursday, January 19, 1989. pp. 2332-2983. TLV's Threshold Limit Values and Biological Exposure Indices for 1992-1993. American Conference of Governmental Industrial Hygienists, 1992. Sax, N. Irving. Dangerous Properties of Industrial Materials, 7th Ed. New York: Van Nostrand Reinhold Co., 1989. The Merck Index, 11th Ed. Rahway, New Jersey: Merck and Co., Inc., 1989. Gosselin, R. E. et al. Clinical Toxicology of Commercial Products, 5th Ed. Baltimore: The Williams and Wilkins Co., 1984. Vendor Information. Technical Judgment.

Complete Text of H phrases referred to in Section 3: Not applicable Not applicable . . .

Revision Summary: . Substantial revision to comply with EU Reg 1272/2008, Reg 1907/2006 and UN GHS (ST/SG/AC.10/36/Add.3).

Date of MSDS Preparation:

Day: 25

Month: July

Year: 2014

MSDS Prepared: MSDS prepared by Product Compliance Department extension 3350

CCOHS Evaluation Note: It is offered under the interim policy that was established by Health Canada permitting use of GHS-formatted safety data sheets in Canada prior to revision of CPR to GHS. This product has been classified and labeled in accordance with the requirements of GHS (ST/SG/AC.10/36/Add.3).

Legend:

NA - Not Applicable	w/w - weight/weight
ND - Not Determined	w/v - weight/volume
NV - Not Available	v/v - volume/volume

USER RESPONSIBILITY: Each user should read and understand this information and incorporate it in individual site safety programs in accordance with applicable hazard communication standards and regulations.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED TO BE ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

HACH COMPANY ©2015

